

# SAFETY DATA SHEET

## Prime Line Floor Stripper

Page: 1

Printed: 06/23/2021

Revision: 11/04/2020

Supersedes Revision: 06/18/2018

### 1. Product and Company Identification

**Product Code:** 00904  
**Product Name:** Prime Line Floor Stripper  
**Company Name:** Genlabs  
5568 Schaefer Ave.  
Chino, CA 91710  
**Phone Number:**  
1 (254)826-9001

**Web site address:** www.genlabscorp.com  
**Email address:** sol@genlabscorp.com  
**Emergency Contact:** Chemtrec  
1 (800)424-9300

**Recommended Use:** Floor Stripper  
**Intended Use:** For sale to, use and storage by service persons only.

### 2. Hazards Identification

**Acute Toxicity: Inhalation, Category 4**  
**Acute Toxicity: Oral, Category 5**  
**Acute Toxicity: Skin, Category 5**  
**Skin Corrosion/Irritation, Category 2**  
**Serious Eye Damage/Eye Irritation, Category 2A**  
**Specific Target Organ Toxicity (single exposure), Category 3**



**GHS Signal Word:** **Warning**

**GHS Hazard Phrases:** H332 - Harmful if inhaled.  
H303 - May be harmful if swallowed.  
H313 - May be harmful in contact with skin.  
H315 - Causes skin irritation.  
H319 - Can cause serious eye irritation.  
H335 - May cause respiratory irritation.

**GHS Precaution Phrases:** P271 - Use only outdoors or in a well-ventilated area.  
P261 - Avoid breathing fumes and spray mist.  
P264 - Wash hands thoroughly after handling.  
P280 - Wear protective gloves, protective clothing, eye protection, face protection.  
P102 - Keep out of reach of children.

**GHS Response Phrases:** P304+340 - If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P302+352 - If on skin (or in hair): Wash with plenty of soap and water.  
P332+313 - If skin irritation occurs, get medical attention immediately.  
P362 - Take off contaminated clothing.  
P305+351+338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+313 - If eye irritation persists, get medical attention immediately.  
P301+310 - If swallowed: Immediately call a Poison Center or doctor.

**GHS Storage and Disposal Phrases:** P501 - Dispose of contents and container according to the local, city, state and federal regulations.  
P411+235 - Store in cool dry place at room temperature away from direct sunlight.

# SAFETY DATA SHEET

## Prime Line Floor Stripper

Page: 2

Printed: 06/23/2021

Revision: 11/04/2020

Supersedes Revision: 06/18/2018

<b>Potential Health Effects (Acute and Chronic):</b>	Prolonged or repeated skin contact may cause dermatitis.  Effects may be delayed.
<b>Inhalation:</b>	Harmful if inhaled. May cause respiratory tract irritation. May cause narcotic effects in high concentration.
<b>Skin Contact:</b>	Causes skin irritation. Harmful if absorbed through the skin. Substance is rapidly absorbed through the skin. Causes symptoms similar to those of inhalation.
<b>Eye Contact:</b>	Causes eye irritation. Causes redness and pain. Causes eye burns. May cause chemical conjunctivitis and corneal damage.
<b>Ingestion:</b>	Harmful if swallowed. May cause gastrointestinal irritation with nausea, vomiting and diarrhea. May cause severe and permanent damage to the digestive tract.

### 3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration	
111-76-2	Ethanol, 2-Butoxy-	Proprietary	
1310-73-2	Sodium hydroxide	Proprietary	
75-31-0	Isopropylamine	Proprietary	
6834-92-0	Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), Disodium salt	Proprietary	

### 4. First Aid Measures

#### Emergency and First Aid Procedures:

<b>In Case of Inhalation:</b>	Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen. Consult a physician.
<b>In Case of Skin Contact:</b>	Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Consult a physician.
<b>In Case of Eye Contact:</b>	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately. Continue rinsing eyes during transport to hospital.
<b>In Case of Ingestion:</b>	Get medical aid immediately. Call a poison control center. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person.
<b>Signs and Symptoms of Exposure:</b>	Burning sensation, Cough, Wheezing, Laryngitis, Shortness of breath.
<b>Note to Physician:</b>	Treat symptomatically and supportively.

### 5. Fire Fighting Measures

<b>Flash Pt:</b>	NA
<b>Explosive Limits:</b>	LEL: N/A    N.E.    UEL: N/A    N.E.
<b>Autoignition Pt:</b>	NA
<b>Suitable Extinguishing Media:</b>	Use water fog, dry chemical, carbon dioxide or alcohol type foam.
<b>Fire Fighting Instructions:</b>	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.
<b>Flammable Properties and Hazards:</b>	No data available.
<b>Hazardous Combustion Products:</b>	No data available.

## 6. Accidental Release Measures

**Steps To Be Taken In Case Material Is Released Or Spilled:** Methods for cleaning up:  
Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal. Pick up and arrange disposal without creating dust.

## 7. Handling and Storage

**Precautions To Be Taken in Handling:** Do not breathe dust, mist, or vapor. Avoid ingestion and inhalation. Do not get in eyes, on skin or clothing. Wash hands thoroughly after handling.

**Precautions To Be Taken in Storing:** Store in a cool, dry, well-ventilated area away from incompatible substances.

**Other Precautions:** None.

## 8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
111-76-2	Ethanol, 2-Butoxy-	PEL: 50 ppm	TLV: 20 ppm	No data.
1310-73-2	Sodium hydroxide	PEL: 2 mg/m3	CEIL: 2 mg/m3	No data.
75-31-0	Isopropylamine	PEL: 5 ppm	TLV: 5 ppm STEL: 10 ppm	No data.
6834-92-0	Silicic acid (H2SiO3), Disodium salt	No data.	No data.	No data.

**Respiratory Equipment (Specify Type):** Always use a NIOSH approved respirator when necessary.

**Eye Protection:** Safety glasses.

**Protective Gloves:** Wear appropriate protective gloves to prevent skin exposure. Handle with gloves.

**Other Protective Clothing:** Wear appropriate protective clothing to prevent skin exposure.

**Engineering Controls (Ventilation etc.):** Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

**Work/Hygienic/Maintenance Practices:** Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## 9. Physical and Chemical Properties

**Physical States:** [ ] Gas [X] Liquid [ ] Solid

**Appearance and Odor:** Yellow color liquid with solvent odor.

**pH:** ~ 11.50 - 12.50

**Melting Point:** NA

**Boiling Point:** >= 212.00 F

**Flash Pt:** NA

**Evaporation Rate:** NA

**Flammability (solid, gas):** No data available.

**Explosive Limits:** LEL: N/A N.E. UEL: N/A N.E.

**Vapor Pressure (vs. Air or mm Hg):** NA

**Vapor Density (vs. Air = 1):** NA

# SAFETY DATA SHEET

## Prime Line Floor Stripper

Page: 4

Printed: 06/23/2021

Revision: 11/04/2020

Supersedes Revision: 06/18/2018

**Specific Gravity (Water = 1):** ~ 1.070  
**Density:** ~ 8.92 LB/GA  
**Bulk density:** NE  
**Solubility in Water:** 100%  
**Saturated Vapor Concentration:** NA  
**Octanol/Water Partition Coefficient:** No data.  
**VOC / Volume:** < 57.0000 G/L  
**Autoignition Pt:** NA  
**Decomposition Temperature:** NA  
**Viscosity:** NP  
**Particle Size:** NE  
**Heat Value:** NE  
**Corrosion Rate:** NE

### 10. Stability and Reactivity

**Stability:** Unstable [ ] Stable [ X ]

**Conditions To Avoid - Instability:** None.

**Incompatibility - Materials To Avoid:** Strong oxidizing agents, Strong bases, Aluminum, Water, Metals. acids, Aluminum and Soft Metals. gelatin, nitromethane, leather, flammable liquids, organic halogens. iron, Copper, Lead. Tin/tin oxides.

**Hazardous Decomposition or Byproducts:** Carbon monoxide, Toxic fumes of sodium oxide, Hazardous decomposition products formed under fire conditions.

Carbon oxides, nitrogen oxides (NOx), formed under fire conditions. Sodium oxides, silicon oxides.

**Possibility of Hazardous Reactions:** Will occur [ ] Will not occur [ X ]

**Conditions To Avoid - Hazardous Reactions:** None.

### 11. Toxicological Information

**Toxicological Information:** No data available.

**Carcinogenicity/Other Information:** CAS# 111-76-2: ACGIH: A3 - Confirmed animal carcinogen with unknown relevance to humans.

California: Not listed.

NTP: Not listed.

IARC: Not listed. CAS# 1310-73-2: Not listed by ACGIH, IARC, NTP, or CA Prop 65. Carcinogenicity.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
111-76-2	Ethanol, 2-Butoxy-	n.a.	3	A3	n.a.
1310-73-2	Sodium hydroxide	n.a.	n.a.	n.a.	n.a.
75-31-0	Isopropylamine	n.a.	n.a.	n.a.	n.a.

# SAFETY DATA SHEET

## Prime Line Floor Stripper

6834-92-0	Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), Disodium salt	n.a.	n.a.	n.a.	n.a.
-----------	--	------	------	------	------

### 12. Ecological Information

No data available.

**Persistence and**

No data available.

**Degradability:**

### 13. Disposal Considerations

**Waste Disposal Method:**

No data available.

### 14. Transport Information

**LAND TRANSPORT (US DOT):**

**DOT Proper Shipping Name:** NOT REGULATED FOR DOMESTIC TRANSPORT.

**DOT Hazard Class:**

**UN/NA Number:**

**LAND TRANSPORT (Canadian TDG):**

**TDG Shipping Name:** Not Regulated.

**MARINE TRANSPORT (IMDG/IMO):**

**IMDG/IMO Shipping Name:** Not Regulated.

**AIR TRANSPORT (ICAO/IATA):**

**ICAO/IATA Shipping Name:** Not Regulated.

### 15. Regulatory Information

**EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists**

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
111-76-2	Ethanol, 2-Butoxy-	No	No	Yes-Cat. N230
1310-73-2	Sodium hydroxide	No	Yes 1000 LB	No
75-31-0	Isopropylamine	No	No	No
6834-92-0	Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), Disodium salt	No	No	No

**This material meets the EPA**  Yes  No Acute (immediate) Health Hazard

**'Hazard Categories' defined**  Yes  No Chronic (delayed) Health Hazard

**for SARA Title III Sections**  Yes  No Fire Hazard

**311/312 as indicated:**  Yes  No Sudden Release of Pressure Hazard

Yes  No Reactive Hazard

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
111-76-2	Ethanol, 2-Butoxy-	CA PROP.65: No; CA TAC, Title 8: TAC, Title 8
1310-73-2	Sodium hydroxide	CA PROP.65: No; CA TAC, Title 8: TAC, Title 8
75-31-0	Isopropylamine	CA PROP.65: No; CA TAC, Title 8: Title 8
6834-92-0	Silicic acid (H <sub>2</sub> SiO <sub>3</sub> ), Disodium salt	CA PROP.65: No; CA TAC, Title 8: No

# SAFETY DATA SHEET

## Prime Line Floor Stripper


### 16. Other Information

Revision Date: 11/04/2020

Hazard Rating System:

HEALTH		2
FLAMMABILITY		0
PHYSICAL		0
PPE		C

HMIS:



Additional Information About This Product: No data available.

This Product:

Company Policy or

Disclaimer:

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.