Undercoater & Sealer

Printed: 06/23/2021 Revision: 06/30/2020

Page: 1

Supersedes Revision: 06/18/2018

1. Product and Company Identification

Product Code: 01047

Product Name: Undercoater & Sealer

Company Name:GenlabsPhone Number:5568 Schaefer Ave.1 (254)826-9001

Chino. CA 91710

Web site address: www.genlabscorp.com
Email address: sol@genlabscorp.com

Emergency Contact: Chemtrec 1 (800)424-9300

Recommended Use: Sealer

Intended Use: For sale to, use and storage by service persons only.

2. Hazards Identification

Acute Toxicity: Oral, Category 4

Serious Eye Damage/Eye Irritation, Category 2A



GHS Signal Word: Warning

GHS Hazard Phrases: H302 - Harmful if swallowed.

H319 - Can cause serious eye irritation.

GHS Precaution Phrases: P264 - Wash hands thoroughly after handling.

P102 - Keep out of reach of children.

P270 - Do not eat, drink or smoke when using this product.

P280- - Wear protective gloves and eye/face protection as specified by the supplier or the

competent authority.

GHS Response Phrases: P301+312 - If swallowed: Call a Poison Center or doctor if you feel unwell.

P305+351+338 - If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+313 - If eye irritation persists, get medical attention immediately.

GHS Storage and Disposal

Phrases:

P501 - Dispose of contents and container according to the local, city, state and federal

regulations.

P411+235 - Store in cool dry place at room temperature away from direct sunlight.

Inhalation: High vapor concentrations may cause drowsiness. May cause respiratory tract irritation.

Skin Contact: Prolonged and/or repeated contact may cause irritation and/or dermatitis.

Eye Contact: Causes eye irritation.

Ingestion: May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration	
111-90-0	Diethylene glycol monoethyl ether	1.0 -5.0 %	
25265-77-4	Texanol	0.0 -1.0 %	
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)	0.0 -1.0 %	
25987-66-0	Acrylic acid polymer	10.0 -20.0 %	
1314-13-2	Zinc oxide	0.0 -1.0 %	

Undercoater & Sealer

Printed: 06/23/2021 Revision: 06/30/2020

Page: 2

Supersedes Revision: 06/18/2018

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: If breathing is difficult, give oxygen. Get medical aid. Remove from exposure and move to

fresh air immediately.

In Case of Skin Contact: Flush skin with plenty of water for at least 15 minutes while removing contaminated

clothing and shoes. If skin irritation or rash occurs, seek medical attention.

In Case of Eye Contact: Get medical aid. Get medical aid immediately. In case of contact, immediately flush eyes

with copious amounts of water for at least 15 minutes.

In Case of Ingestion: Never give anything by mouth to an unconscious person. If victim is conscious and alert,

give 2-4 cupfuls of milk or water. Get medical aid immediately. If swallowed, wash out

mouth with water provided person is conscious. Call a physician.

Signs and Symptoms Of

Exposure:

To the best of our knowledge, the chemical, physical, and toxicological properties have

not been thoroughly investigated.

Note to Physician: Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Pt: > 212.00 F Method Used: Estimate

Explosive Limits: LEL: N/A N.E. UEL: N/A N.E.

Autoignition Pt: NE

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use

water spray to keep fire-exposed containers cool.

Flammable Properties and

Hazards:

No data available.

Hazardous Combustion No da

Products:

No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or

Spilled:

Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Remove all sources of ignition. Provide ventilation. Prevent runoff from

entering drains, sewers, or streams.

7. Handling and Storage

Precautions To Be Taken in

Handling:

Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Avoid ingestion

and inhalation.

Precautions To Be Taken in

Storing:

Store in a cool, dry, well-ventilated area away from incompatible substances. Protect from sunlight and do not expose to temperatures exceeding 50 °C/122 °F.

8. Exposure Controls/Personal Protection

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
111-90-0	Diethylene glycol monoethyl ether	No data.	No data.	No data.
25265-77-4	Texanol	No data.	No data.	No data.
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)	No data.	No data.	No data.

Undercoater & Sealer

Printed: 06/23/2021 Revision: 06/30/2020

Page: 3

Supersedes Revision: 06/18/2018

25987-66-0	Acrylic acid polymer	No data.	No data.	No data.
1314-13-2			TLV: 2 mg/m3 (R) STEL: 10 mg/m3 (R)	No data.

Respiratory Equipment

Always use a NIOSH approved respirator when necessary.

(Specify Type):

Safety glasses. **Eye Protection:**

Wear appropriate protective gloves to prevent skin exposure. **Protective Gloves:** Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls Facilities storing or utilizing this material should be equipped with an eyewash facility and

a safety shower. Use adequate ventilation to keep airborne concentrations low. (Ventilation etc.):

Work/Hygienic/Maintenance

Wash thoroughly after handling. Wash contaminated clothing before reuse.

Practices:

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid Opaque white liquid with bland odor. Appearance and Odor:

~ 7.50 - 9.00 pH:

Melting Point: ΝE

Boiling Point: >= 212.00 F

Flash Pt: > 212.00 F Method Used: Estimate

ΝE

Evaporation Rate: NE

Flammability (solid, gas): No data available.

LEL: N/A N.E. UEL: N/A **Explosive Limits:** N.E.

Vapor Pressure (vs. Air or

mm Hg):

Vapor Density (vs. Air = 1): NE

Specific Gravity (Water = 1): ~ 1.030

Density: ~ 8.847 LB/GA

Bulk density: ΝE Solubility in Water: 100% **Saturated Vapor** NE

Concentration:

Octanol/Water Partition No data.

Coefficient:

VOC / Volume: 0.0000 G/L

Autoignition Pt: ΝE **Decomposition Temperature: NE** Viscosity: NΡ Particle Size: ΝE **Heat Value:** ΝE **Corrosion Rate:** NE

Undercoater & Sealer

Printed: 06/23/2021 Revision: 06/30/2020

Page: 4

Supersedes Revision: 06/18/2018

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - Light, ignition sources, Moisture

Instability:

 $\label{light} \mbox{Light, ignition sources, Moisture, Excess heat, Incompatible materials.}$

Incompatibility - Materials To Cationic materials, strong oxidizers, strong acidic materials.

Avoid:

Hazardous Decomposition or Carbon monoxide, Carbon dioxide, Thermal decomposition may produce toxic fumes of

Byproducts: phosphorus oxides and/or phosphine.

Possibility of Hazardous

Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - None.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: No data available.

Carcinogenicity/Other CAS# 111-90-0: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 25265-77-4: Not

Information: listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
111-90-0	Diethylene glycol monoethyl ether	n.a.	n.a.	n.a.	n.a.
25265-77-4	Texanol	n.a.	n.a.	n.a.	n.a.
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)	n.a.	n.a.	n.a.	n.a.
25987-66-0	Acrylic acid polymer	n.a.	n.a.	n.a.	n.a.
1314-13-2	Zinc oxide	n.a.	n.a.	n.a.	n.a.

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method: Dispose of contents and container according to the local, city, state and federal

regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: NOT REGULATED FOR DOMESTIC TRANSPORT.

DOT Hazard Class: UN/NA Number:

LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name: Not Regulated.

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

Licensed to Genlabs Corp.: MIRS MSDS, (c) A V Systems, Inc.

GHS format

Undercoater & Sealer

Printed: 06/23/2021 Revision: 06/30/2020

Page: 5

Supersedes Revision: 06/18/2018

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
111-90-0	Diethylene glycol monoethyl ether	No	No	Yes-Cat. N230
25265-77-4	Texanol	No	No	No
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)	No	No	Yes-Cat. N230
25987-66-0	Acrylic acid polymer	No	No	No
1314-13-2	Zinc oxide	No	No	Yes-Cat. N982

This material meets the EPA [X] Yes [] No Acute (immediate) Health Hazard 'Hazard Categories' defined [] Yes [X] No Chronic (delayed) Health Hazard

for SARA Title III Sections [] Yes [X] No Fire Hazard

311/312 as indicated: [] Yes [X] No Sudden Release of Pressure Hazard

[] Yes [X] No Reactive Hazard

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
111-90-0	Diethylene glycol monoethyl ether	CA PROP.65: No; CA TAC, Title 8: Yes - Cat.
25265-77-4	Texanol	CA PROP.65: No; CA TAC, Title 8: No
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)	CA PROP.65: No; CA TAC, Title 8: Yes - Cat.
25987-66-0	Acrylic acid polymer	CA PROP.65: No; CA TAC, Title 8: No
1314-13-2	Zinc oxide	CA PROP.65: No; CA TAC, Title 8: Yes - Cat., Title 8

16. Other Information

Revision Date: 06/30/2020

HMIS:

Hazard Rating System:

HEALTH 1
FLAMMABILITY 0
PHYSICAL 0
PPE B



Additional Information About PPE B: safety glasses; gloves.

This Product:

Company Policy or

Disclaimer:

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.

Licensed to Genlabs Corp.: MIRS MSDS, (c) A V Systems, Inc.