	1. Product and Company Identification		
Product Code:	01077		
Product Name:	Pine 30		
Company Name:	Genlabs 5568 Schaefer Ave. Chino, CA 91710	Phone Number: 1 (254)826-9001	
Web site address:	www.genlabscorp.com		
Email address:	sol@genlabscorp.com		
Emergency Contact:	Chemtrec	1 (800)424-9300	
Recommended Use:	Pine Cleaner		
Intended Use:	For sale to, use and storage by service persons only.		

2. Hazards Identification

Flammable Liquids, Category 4 Serious Eye Damage/Eye Irritation, Category 2A Acute Toxicity: Oral, Category 4 Aspiration Toxicity, Category 2 Skin Corrosion/Irritation, Category 2



	Worning
GHS Signal Word: GHS Hazard Phrases:	Warning H319 - Can cause serious eye irritation. H305 - May be harmful if swallowed and enters airways. H315 - Causes skin irritation. H227 - Combustible liquid.
GHS Precaution Phrases:	 P280 - Wear protective gloves, protective clothing, eye protection, face protection. P270 - Do not eat, drink or smoke when using this product. P264 - Wash hands thoroughly after handling. P362+364 - Take off contaminated clothing and wash it before reuse. P102 - Keep out of reach of children.
GHS Response Phrases:	 P305+351+338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301+310 - If swallowed: Immediately call a Poison Center or doctor. P302+352 - If on skin (or in hair): Wash with plenty of soap and water. P333+313 - If skin irritation or rash occurs, seek medical attention.
GHS Storage and Disposal Phrases:	P501 - Dispose of contents and container according to the local, city, state and federal regulations. P411+235 - Store in cool dry place at room temperature away from direct sunlight.
Potential Health Effects (Acute and Chronic):	Prolonged or repeated eye contact may cause conjunctivitis. Prolonged or repeated skin contact may cause defatting and dermatitis. Effects may be delayed.
Inhalation:	Causes upper respiratory tract irritation. Inhalation of vapors may cause drowsiness and dizziness. Harmful if inhaled.
Skin Contact:	May cause irritation with pain and stinging, especially if the skin is abraded. May be absorbed through intact skin. Dermal absorption has been considered toxicologically insignificant. May cause skin rash (in milder cases), and cold and clammy skin with

Page: 2 Printed: 06/23/2021 Revision: 11/04/2020 Supersedes Revision: 06/18/2018

Eye Contact:

cyanosis or pale color.

Produces irritation, characterized by a burning sensation, redness, tearing, inflammation, and possible corneal injury.

Ingestion:

Causes gastrointestinal irritation with nausea, vomiting and diarrhea.

	3	. Composition/Infor	mation on Ing	gredients
CAS #	Hazardous Com	ponents (Chemical Name)	Concentration	
8002-09-3	Pine oil		Proprietary	
67-63-0	Isopropyl alcohol		Proprietary	
1310-58-3	Potassium hydrox	xide	Proprietary	
		4. First Ai	d Measures	
Emergency a Procedures:				
In Case of In	halation:	If inhaled, remove to fresh a immediately. Remove from	•	ficult, give oxygen. Get medical aid e to fresh air immediately.
In Case of S	kin Contact:			er. Remove contaminated clothing and I persists. Wash clothing before reuse.
In Case of E	ye Contact:	In case of contact, immediately flush eyes with plenty of water for a t least 15 minutes. Get medical aid. Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Do NOT allow victim to rub eyes or keep eyes closed. Extensive irrigation with water is required (at least 30 minutes).		
In Case of In	In Case of Ingestion: Potential for aspiration if swallowed. Never give anything by mouth to an unconse person. If vomiting occurs naturally, have victim lean forward. If victim is conscio alert, give 2-4 cupfuls of milk or water.			
Note to Phys	sician:	Treat symptomatically and supportively.		
	5. Fire Fighting Measures			
Flash Pt:		> 200.00 F		
Explosive Li	mits:	LEL: N/A UEL:	N/A	
Autoignition	Pt:	NE		
Suitable Ext	inguishing Medi	a: Water spray, fog or alcohol-	resistant foam.	
Fire Fighting	g Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors may form explosive mixtures with air. Use water spray to keep fire-exposed containers cool. Flammable liquid and vapor. May form explosive peroxides. Vapors are heavier than air and may travel to a source of ignition and flash back. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Water reactive Material will react with water and may release a flammable and/or toxic gas. Wear appropriate protective clothing to prevent contact with skin and eyes.			
Flammable F Hazards:	Properties and	No data available.		
Hazardous (Products:	Combustion	No data available.		

	Supersedes Revision: 06/18/2018			evision: 06/18/2018	
	6. Accidental Release Measures				
Material Is Released Or Spilled:Spills/Leaks: Absor suitable container.Spilled:spills immediately, all sources of ignition		al protective equipment as rb spill with inert material (e Use water spray to dilute sp observing precautions in th on. Use a spark-proof tool. to reduce vapors. Avoid ge	.g. vermiculite, sand or ea bill to a non-flammable m e Protective Equipment s Provide ventilation. A vap	ixture. Clean up section. Remove por suppressing	
		7. Ha	ndling and Storage	e	
Precautions To Be Taken in Handling:Avoid breathing val pressurize, cut, we sparks or open flam		oors from heated material. <i>A</i> ld, braze, solder, drill, grind, nes. Avoid breathing dust, v with oxidizing materials. Sto substances.	or expose empty contair apor, mist, or gas.	ners to heat,	
	8	. Exposure C	ontrols/Personal P	Protection	
CAS #	Partial Chemica	l Name	OSHA TWA	ACGIH TWA	Other Limits
8002-09-3	Pine oil		No data.	No data.	No data.
67-63-0	Isopropyl alcohol		PEL: 400 ppm	TLV: 200 ppm STEL: 400 ppm	No data.
1310-58-3	Potassium hydro:	xide	No data.	CEIL: 2 mg/m3	No data.
(Specify Type):EN 149. Use a NIC exposure limits areEye Protection:Wear appropriate p		respirator regulations found in 29 CFR 1910.134 or European Standard IOSH/MSHA or European Standard EN 149 approved respirator if re exceeded or if irritation or other symptoms are experienced. e protective eyeglasses or chemical safety goggles as described by face protection regulations in 29 CFR 1910.133 or European Standard			
Protective G	iloves:	Wear appropriate p	protective gloves to prevent	skin exposure.	
Engineering ControlsUse explosion-proof(Ventilation etc.):should be equipped v			protective clothing to preven of ventilation equipment. Fac d with an eyewash facility an ntilation to keep airborne co	cilities storing or utilizing t nd a safety shower. Use a	adequate general
	9. Physical and Chemical Properties				
Physical States:[] Gas[X] LieAppearance and Odor:Brown color liquid wpH:11.00 - 12.50Melting Point:NEBoiling Point:> 212.00 F					
Flash Pt: > 200.00 F					

UEL: N/A

NE

NE

NE

No data available.

LEL: N/A

Evaporation Rate:

Explosive Limits:

mm Hg):

Flammability (solid, gas):

Vapor Pressure (vs. Air or

Vapor Density (vs. Air = 1):

Page: 4 Printed: 06/23/2021 Revision: 11/04/2020 Supersedes Revision: 06/18/2018

	Supersedes Revision: 06/18/2018
Specific Gravity (Water = 1):	~ 0.985
Density:	~ 8.21 LB/GA
Solubility in Water:	Emulsifies
Saturated Vapor	NE
Concentration:	
Octanol/Water Partition	No data.
Coefficient:	
VOC / Volume:	295.0000 G/L
Autoignition Pt:	NE
Decomposition Temperature:	: NE
Viscosity:	NP
	10. Stability and Reactivity
Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	Light, ignition sources, Excess heat, dust generation, Exposure to moist air or water.
Incompatibility - Materials To Avoid:	Strong oxidizing agents, Strong acids, Strong bases, Amines, Ammonia, ethylene oxide, isocyanates, acetaldehyde, chlorine, phosgene, Attacks some forms of plastics, rubbers, and coatings. aluminum at high temperatures. Moisture, acids.
Hazardous Decomposition or Byproducts:	Carbon monoxide, Oxides of potassium, hydrogen gas.
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]
Conditions To Avoid -	No data available.
Hazardous Reactions:	
	11. Toxicological Information
Toxicological Information:	No data available

Toxicological Information:No data available.Carcinogenicity/OtherCAS# 67-63-0: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 1310-58-3: NotInformation:listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
8002-09-3	Pine oil	n.a.	n.a.	n.a.	n.a.
67-63-0	Isopropyl alcohol	n.a.	3	A4	n.a.
1310-58-3	Potassium hydroxide	n.a.	n.a.	n.a.	n.a.

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method:

Dispose of contents and container according to the local, city, state and federal regulations.

14. Transport Information

Page: 5 Printed: 06/23/2021 Revision: 11/04/2020 Supersedes Revision: 06/18/2018

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated. **DOT Hazard Class: UN/NA Number:**

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Not Regulated.

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated.

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
8002-09-3	Pine oil	No	No	No
67-63-0	Isopropyl alcohol	No	No	Yes
1310-58-3	Potassium hydroxide	No	Yes 1000 LB	No

This material meets the EPA	[X] Yes [] No	Acute (immediate) Health Hazard
'Hazard Categories' defined	[] Yes [X] No	Chronic (delayed) Health Hazard
for SARA Title III Sections	[X] Yes [] No	Fire Hazard
311/312 as indicated:	[] Yes [X] No	Sudden Release of Pressure Hazard
	[] Yes [X] No	Reactive Hazard

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
8002-09-3	Pine oil	CA PROP.65: No; CA TAC, Title 8: No
67-63-0	Isopropyl alcohol	CA PROP.65: No; CA TAC, Title 8: TAC, Title 8
1310-58-3	Potassium hydroxide	CA PROP.65: No; CA TAC, Title 8: Title 8

16. Other Information 11/04/2020 Flammability Instability Hazard Rating System: HEALTH 2 FLAMMABILITY 1 PHYSICAL 0 Health PPE в HMIS: NFPA: Special Hazard

Additional Information About No data available.

This Product:

Revision Date:

Company Policy or Disclaimer:

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.