

1. Product and Company Identification

Product Code: 01095
Product Name: Remov-It
Company Name: Genlabs
5568 Schaefer Ave.
Chino, CA 91710
Phone Number:
1 (254)826-9001

Web site address: www.genlabscorp.com
Email address: sol@genlabscorp.com
Emergency Contact: Chemtrec
1 (800)424-9300

Recommended Use: Floor Stripper
Intended Use: For sale to, use and storage by service persons only.
Additional Information: 406250PAIL

2. Hazards Identification

Acute Toxicity: Inhalation, Category 4
Acute Toxicity: Oral, Category 4
Acute Toxicity: Skin, Category 4
Skin Corrosion/Irritation, Category 1A
Serious Eye Damage/Eye Irritation, Category 2A



GHS Signal Word: **Danger**

GHS Hazard Phrases: H332 - Harmful if inhaled.
H302 - Harmful if swallowed.
H312 - Harmful in contact with skin.
H314 - Causes severe skin burns and eye damage.
H319 - Can cause serious eye irritation.

GHS Precaution Phrases: P271 - Use only outdoors or in a well-ventilated area.
P261 - Avoid breathing fumes and spray mist.
P264 - Wash hands thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P280 - Wear protective gloves, protective clothing, eye protection, face protection.
P260 - Do not breathe dust, fumes, mist, vapors, spray.

GHS Response Phrases: P304+340 - If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P301+312 - If swallowed: Call a Poison Center or doctor if you feel unwell.
P303+361+353 - If on skin (or in hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305+351+338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+313 - If eye irritation persists, get medical attention immediately.

GHS Storage and Disposal Phrases: P501 - Dispose of contents and container according to the local, city, state and federal regulations.
P411+235 - Store in cool dry place at room temperature away from direct sunlight.

SAFETY DATA SHEET

Remov-It

Page: 2

Printed: 06/23/2021

Revision: 11/04/2020

Supersedes Revision: 04/30/2019

Potential Health Effects (Acute and Chronic):	Prolonged or repeated skin contact may cause dermatitis. Effects may be delayed.
Inhalation:	Harmful if inhaled. May cause respiratory tract irritation. May cause narcotic effects in high concentration. May cause central nervous system effects such as nausea and headache.
Skin Contact:	Causes skin irritation. Harmful if absorbed through the skin. Substance is rapidly absorbed through the skin.
Eye Contact:	Causes eye irritation. Causes redness and pain. Causes eye burns. May cause chemical conjunctivitis and corneal damage.
Ingestion:	Harmful if swallowed. May cause irritation of the digestive tract. May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration	
78-96-6	1-Amino-2-Propanol	Proprietary	
111-76-2	Ethanol, 2-Butoxy-	Proprietary	
1310-73-2	Sodium hydroxide	Proprietary	
1300-72-7	Sodium xylenesulfonate	Proprietary	

4. First Aid Measures

Emergency and First Aid Procedures:

In Case of Inhalation:	Remove from exposure and move to fresh air immediately. Get medical aid.
In Case of Skin Contact:	Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Consult a physician.
In Case of Eye Contact:	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
In Case of Ingestion:	Get medical aid immediately. Call a poison control center. Never give anything by mouth to an unconscious person. Rinse mouth with water.

Note to Physician: Show this safety data sheet to the doctor in attendance.

5. Fire Fighting Measures

Flash Pt:	NE
Explosive Limits:	LEL: N/A N.E. UEL: N/A N.E.
Autoignition Pt:	NE
Suitable Extinguishing Media:	Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Use water spray to keep fire-exposed containers cool. Use water with caution and in flooding amounts.
Flammable Properties and Hazards:	No data available.
Hazardous Combustion Products:	No data available.

6. Accidental Release Measures

Environmental Precautions: Avoid release to the environment.

Steps To Be Taken In Case Material Is Released Or Spilled: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Wear a self contained breathing apparatus and appropriate personal protection. (See Exposure Controls, Personal Protection section). Remove all sources of ignition. Use a spark-proof tool. Do not let this chemical enter the environment. Personal precautions.

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

7. Handling and Storage

Precautions To Be Taken in Handling: Use spark-proof tools and explosion proof equipment. Do not get in eyes, on skin, or on clothing. Keep away from heat, sparks and flame. Do not ingest or inhale. Avoid inhalation of vapor or mist.

Precautions To Be Taken in Storing: Keep away from sources of ignition. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in a cool, dry, well-ventilated area away from incompatible substances.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
78-96-6	1-Amino-2-Propanol	No data.	No data.	No data.
111-76-2	Ethanol, 2-Butoxy-	PEL: 50 ppm	TLV: 20 ppm	No data.
1310-73-2	Sodium hydroxide	PEL: 2 mg/m3	CEIL: 2 mg/m3	No data.
1300-72-7	Sodium xylenesulfonate	No data.	No data.	No data.

Respiratory Equipment (Specify Type): Always use a NIOSH approved respirator when necessary.

Eye Protection: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Safety glasses. Wear chemical splash goggles.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure. Handle with gloves.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.): Use explosion-proof ventilation equipment. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use only under a chemical fume hood. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

Work/Hygienic/Maintenance Practices: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. Physical and Chemical Properties

Physical States:	[] Gas [X] Liquid [] Solid
Appearance and Odor:	Yellow color liquid with solvent odor.
pH:	11.50 - 12.50
Melting Point:	NE - 0.00 C
Boiling Point:	NE
Flash Pt:	NE
Evaporation Rate:	NE
Flammability (solid, gas):	No data available.
Explosive Limits:	LEL: N/A N.E. UEL: N/A N.E.
Vapor Pressure (vs. Air or mm Hg):	NE
Vapor Density (vs. Air = 1):	NE
Specific Gravity (Water = 1):	~ 1.020
Density:	~ 8.50lbs/gal
Bulk density:	NE
Solubility in Water:	100%
Saturated Vapor Concentration:	NE
Octanol/Water Partition Coefficient:	No data.
VOC / Volume:	127.5000 G/L
Autoignition Pt:	NE
Decomposition Temperature:	NE
Viscosity:	NP
Particle Size:	NE
Heat Value:	NE
Corrosion Rate:	NE

10. Stability and Reactivity

Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	Strong oxidizing agents, Strong acids.
Incompatibility - Materials To Avoid:	Strong oxidizers, ammonia, bleach, strong acids and strong alkali materials.
Hazardous Decomposition or Byproducts:	Carbon monoxide, Hazardous decomposition products formed under fire conditions.
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions:	None.

SAFETY DATA SHEET

Remov-It

Page: 5

Printed: 06/23/2021

Revision: 11/04/2020

Supersedes Revision: 04/30/2019

11. Toxicological Information

Toxicological Information: No data available.

Carcinogenicity/Other Information: CAS# 111-76-2: ACGIH: A3 - Confirmed animal carcinogen with unknown relevance to humans.
California: Not listed.
NTP: Not listed.
IARC: Not listed. CAS# 1310-73-2: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
78-96-6	1-Amino-2-Propanol	n.a.	n.a.	n.a.	n.a.
111-76-2	Ethanol, 2-Butoxy-	n.a.	3	A3	n.a.
1310-73-2	Sodium hydroxide	n.a.	n.a.	n.a.	n.a.
1300-72-7	Sodium xylenesulfonate	n.a.	n.a.	n.a.	n.a.

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method: Dispose of contents and container according to the local, city, state and federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not regulated as a hazardous material.

DOT Hazard Class:

UN/NA Number:

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Not Regulated.

LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name: Not Regulated.

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated.

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
78-96-6	1-Amino-2-Propanol	No	No	No
111-76-2	Ethanol, 2-Butoxy-	No	No	Yes-Cat. N230
1310-73-2	Sodium hydroxide	No	Yes 1000 LB	No
1300-72-7	Sodium xylenesulfonate	No	No	No

This material meets the EPA Yes No Acute (immediate) Health Hazard

'Hazard Categories' defined Yes No Chronic (delayed) Health Hazard

for SARA Title III Sections Yes No Fire Hazard

311/312 as indicated: Yes No Sudden Release of Pressure Hazard

Yes No Reactive Hazard

SAFETY DATA SHEET

Remov-It

Page: 6

Printed: 06/23/2021

Revision: 11/04/2020


Supersedes Revision: 04/30/2019

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
78-96-6	1-Amino-2-Propanol	CA PROP.65: No; CA TAC, Title 8: No
111-76-2	Ethanol, 2-Butoxy-	CA PROP.65: No; CA TAC, Title 8: TAC, Title 8
1310-73-2	Sodium hydroxide	CA PROP.65: No; CA TAC, Title 8: TAC, Title 8
1300-72-7	Sodium xylenesulfonate	CA PROP.65: No; CA TAC, Title 8: No

16. Other Information

Revision Date: 11/04/2020**Hazard Rating System:**

HEALTH		2
FLAMMABILITY		0
PHYSICAL		0
PPE		C

HMIS:**Additional Information About This Product:** No data available.**Company Policy or Disclaimer:**

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.