Super Porcelain, Tile & Chrome Cleaner

Printed: 06/21/2021 Revision: 11/04/2020

Page: 1

Supersedes Revision: 06/18/2018

Product and Company Identification

Product Code: 02076

Super Porcelain, Tile & Chrome Cleaner **Product Name:**

Genlabs **Phone Number: Company Name:** 1 (254)826-9001

5568 Schaefer Ave.

Chino, CA 91710

Web site address: www.genlabscorp.com **Email address:** sol@genlabscorp.com

Chemtrec 1 (800)424-9300 **Emergency Contact:**

Bathroom Cleaner Recommended Use:

Intended Use: For sale to, use and storage by service persons only.

2. Hazards Identification

Skin Corrosion/Irritation, Category 1B

Specific Target Organ Toxicity (single exposure), Category 3

Acute Toxicity: Oral, Category 4 Acute Toxicity: Skin, Category 4

Serious Eye Damage/Eye Irritation, Category 1

Acute Toxicity: Inhalation, Category 4





GHS Signal Word: Danger

GHS Hazard Phrases: H314 - Causes severe skin burns and eye damage.

H335 - May cause respiratory irritation.

H302 - Harmful if swallowed.

H312 - Harmful in contact with skin. H318 - Causes serious eye damage.

H332 - Harmful if inhaled.

GHS Precaution Phrases: P260 - Do not breathe dust, fumes, mist, vapors, spray.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P261 - Avoid breathing fumes and spray mist.

P271 - Use only outdoors or in a well-ventilated area.

P270 - Do not eat, drink or smoke when using this product.

P303+361+353 - If on skin (or in hair): Take off immediately all contaminated clothing. **GHS Response Phrases:**

Rinse skin with water.

P363 - Wash contaminated clothing before reuse.

P305+351+338 - If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P301+330+331 - If swallowed: Rinse mouth. Do NOT induce vomiting. P301+310 - If swallowed: Immediately call a Poison Center or doctor.

P304+340 - If inhaled: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P302+352 - If on skin (or in hair): Wash with plenty of soap and water.

GHS Storage and Disposal

Phrases:

P501 - Dispose of contents and container according to the local, city, state and federal

regulations.

P411+235 - Store in cool dry place at room temperature away from direct sunlight.

Super Porcelain, Tile & Chrome Cleaner

Revision: 11/04/2020

Printed: 06/21/2021

Page: 2

Supersedes Revision: 06/18/2018

Inhalation: Causes chemical burns to the respiratory tract. Causes respiratory tract irritation. Harmful

if inhaled.

Causes skin burns. Causes skin irritation. Harmful if absorbed through the skin. **Skin Contact:**

Substance is rapidly absorbed through the skin. Causes symptoms similar to those of

inhalation.

Risk of serious damage to eyes. Causes eye burns. Causes eye irritation. May cause Eye Contact:

chemical conjunctivitis. Causes redness and pain.

Causes gastrointestinal tract burns. May cause irritation of the digestive tract. Harmful if Ingestion:

swallowed. May cause gastrointestinal irritation with nausea, vomiting and diarrhea. May

be fatal if swallowed.

3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration	
7664-38-2	Phosphoric acid	Proprietary	
7647-01-0	Hydrochloric acid	Proprietary	
111-76-2	Ethanol, 2-Butoxy-	Proprietary	

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove from exposure and move to fresh air immediately. If breathing is difficult, give

oxygen. Get medical aid.

In Case of Skin Contact: Flush skin with plenty of water for at least 15 minutes while removing contaminated

clothing and shoes. Wash clothing before reuse.

Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and In Case of Eye Contact:

lower eyelids. Get medical aid immediately.

Never give anything by mouth to an unconscious person. If conscious and alert, rinse In Case of Ingestion:

mouth and drink 2-4 cupfuls of milk or water. Wash mouth out with water. Call a poison

control center.

Note to Physician: Treat symptomatically and supportively.

Fire Fighting Measures

ΝE Flash Pt:

LEL: N/A **Explosive Limits:** UEL: N/A

NE **Autoignition Pt:**

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or chemical foam.

As in any fire, wear a self-contained breathing apparatus in pressure-demand, Fire Fighting Instructions:

MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating

and highly toxic gases may be generated by thermal decomposition or combustion.

Flammable Properties and

Hazards:

No data available.

Hazardous Combustion

Products:

No data available.

Super Porcelain, Tile & Chrome Cleaner

Revision: 11/04/2020

Printed: 06/21/2021

Page: 3

Supersedes Revision: 06/18/2018

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled:

Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Avoid runoff into storm sewers and ditches which lead to waterways.

Handling and Storage

Precautions To Be Taken in Handling:

Do not breathe dust, vapor, mist, or gas. Do not get in eyes, on skin, or on clothing. Do not ingest or inhale. Avoid breathing dust, vapor, mist, or gas. Avoid contact with eyes, skin, and clothing. Keep container tightly closed. Use with adequate ventilation. Wash clothing before reuse.

Precautions To Be Taken in

Store in a cool, dry, well-ventilated area away from incompatible substances.

Storing:

8. Exposure Controls/Personal Protection

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
7664-38-2	Phosphoric acid	PEL: 1 mg/m3	TLV: 1 mg/m3 STEL: 3 mg/m3	No data.
7647-01-0	Hydrochloric acid	CEIL: 5 ppm	CEIL: 2 ppm)	No data.
111-76-2	Ethanol, 2-Butoxy-	PEL: 50 ppm	TLV: 20 ppm	No data.

Respiratory Equipment

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if (Specify Type):

exposure limits are exceeded or if irritation or other symptoms are experienced.

Eye Protection: Wear chemical splash goggles. Wear appropriate protective eyeglasses or chemical

safety goggles as described by OSHA's eye and face protection regulations in 29 CFR

1910.133 or European Standard EN166.

Wear appropriate protective gloves to prevent skin exposure. **Protective Gloves:**

Wear appropriate protective clothing to prevent skin exposure. Other Protective Clothing:

Engineering Controls

Use adequate ventilation to keep airborne concentrations low.

(Ventilation etc.):

9. Physical and Chemical Properties

[X] Liquid **Physical States:** [] Solid Green color liquid with mint fragrance. Appearance and Odor:

~ 0.50 - 2.00 pH:

ΝE **Melting Point:**

Boiling Point: >= 212.00 F

Flash Pt: NE **Evaporation Rate:** NE

Flammability (solid, gas): No data available.

Explosive Limits: LEL: N/A UEL: N/A

Vapor Pressure (vs. Air or

ΝE

mm Hg):

ΝE Vapor Density (vs. Air = 1):

Licensed to Genlabs Corp.: MIRS MSDS, (c) A V Systems, Inc.

Super Porcelain, Tile & Chrome Cleaner

Printed: 06/21/2021 Revision: 11/04/2020

Page: 4

Supersedes Revision: 06/18/2018

Specific Gravity (Water = 1): ~ 1.100

~ 9.174 LB/GA Density:

Bulk density: ΝE 100% Solubility in Water: **Saturated Vapor** NE

Concentration:

No data. Octanol/Water Partition

Coefficient:

VOC / Volume: 10.0000 G/L

Autoignition Pt: Decomposition Temperature: NE NΡ Viscosity: Particle Size: NE ΝE **Heat Value: Corrosion Rate:** NE

10. Stability and Reactivity

Stable [X] Unstable [] Stability:

Conditions To Avoid -

Instability:

Excess heat.

Incompatibility - Materials To Strong oxidizing agents, Reacts with most common metals to produce hydrogen gas. Is

Avoid: corrosive to many materials including leather, rubber, and many organics. Strong bases,

Aluminum.

Hazardous Decomposition or Phosphine, oxides of phosphorus, hydrogen gas. Carbon monoxide, Carbon dioxide.

Byproducts:

Possibility of Hazardous

Reactions:

Will occur [] Will not occur [X]

Conditions To Avoid -

None.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: No data available.

Carcinogenicity/Other

Information:

CAS# 7664-38-2: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 7647-01-0: Not

listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 111-76-2: ACGIH: A3 - Confirmed

animal carcinogen with unknown relevance to humans.

California: Not listed. NTP: Not listed. IARC: Not listed.

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
7664-38-2	Phosphoric acid	n.a.	n.a.	n.a.	n.a.
7647-01-0	Hydrochloric acid	n.a.	3	A4	n.a.
111-76-2	Ethanol, 2-Butoxy-	n.a.	3	A3	n.a.

Licensed to Genlabs Corp.: MIRS MSDS, (c) A V Systems, Inc.

Super Porcelain, Tile & Chrome Cleaner

Printed: 06/21/2021 Revision: 11/04/2020

Page: 5

Supersedes Revision: 06/18/2018

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method: Dispose of contents and container according to the local, city, state and federal

regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Quart and one gallon: Limited Quantity.

Five Gallons or Higher: NA1760, Compounds, Cleaning Liquid, (Contains Phosphoric

Acid and Hydrochloric Acid), 8, II.

DOT Hazard Class: 8 CORROSIVE

UN/NA Number: NA1760 Packing Group: II



LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: NA1760, Compounds, Cleaning Liquid, (Contains Phosphoric Acid and Hydrochloric

Acid), 8, II.

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: NA1760, Compounds, Cleaning Liquid, (Contains Phosphoric Acid and Hydrochloric

Acid), 8, II.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: NA1760, Compounds, Cleaning Liquid, (Contains Phosphoric Acid and Hydrochloric

Acid), 8, II.

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
7664-38-2	Phosphoric acid	No	Yes 5000 LB	No
7647-01-0	Hydrochloric acid	Yes 500 LB	Yes 5000 LB	Yes
111-76-2	Ethanol, 2-Butoxy-	No	No	Yes-Cat. N230

This material meets the EPA [X] Yes [] No Acute (immediate) Health Hazard **'Hazard Categories' defined** [] Yes [X] No Chronic (delayed) Health Hazard

for SARA Title III Sections [] Yes [X] No Fire Hazard

311/312 as indicated: [] Yes [X] No Sudden Release of Pressure Hazard

[] Yes [X] No Reactive Hazard

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
7664-38-2	Phosphoric acid	CA PROP.65: No; CA TAC, Title 8: TAC, Title 8
7647-01-0	Hydrochloric acid	CA PROP.65: No; CA TAC, Title 8: TAC, Title 8
111-76-2	Ethanol, 2-Butoxy-	CA PROP.65: No; CA TAC, Title 8: TAC, Title 8

Super Porcelain, Tile & Chrome Cleaner

Printed: 06/21/2021 Revision: 11/04/2020

Page: 6


Supersedes Revision: 06/18/2018

16. Other Information

Revision Date: 11/04/2020

Hazard Rating System:

HEALTH 3
FLAMMABILITY 0
PHYSICAL 0
PPE H



HMIS:

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.

Licensed to Genlabs Corp.: MIRS MSDS, (c) A V Systems, Inc.