| | 1. Product and Company Ide | entification | | |
|---|--|-----------------|--|--|
| Product Code: | 03136 | | | |
| Product Name: Company Name: | Super Hi Power Rug Shampoo 50:1GenlabsPhone Number:5568 Schaefer Ave.1 (909)591-8451Chino, CA 917101 | | | |
| Web site address: Email address: Emergency Contact: | www.genlabscorp.com sol@genlabscorp.com Chemtrec | 1 (800)424-9300 | | |
| Recommended Use: Intended Use: | Carpet Cleaner For sale to, use and storage by service persons only. | | | |

2. Hazards Identification

Flammable Liquids, Category 4 Serious Eye Damage/Eye Irritation, Category 2A Specific Target Organ Toxicity (single exposure), Category 3



| GHS Signal Word: | Warning |
|--|---|
| GHS Hazard Phrases: | H227 - Combustible liquid. |
| | H319 - Can cause serious eye irritation. |
| | H335 - May cause respiratory irritation. |
| GHS Precaution Phrases: | P280 - Wear protective gloves, protective clothing, eye protection, face protection. P270 - Do not eat, drink or smoke when using this product. |
| GHS Response Phrases: | P305+351+338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| | P304+340 - If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| | P312 - Call a POISON CENTER or doctor if you feel unwell. |
| GHS Storage and Disposal Phrases: | P411+235 - Store in cool dry place at room temperature away from direct sunlight. P501 - Dispose of contents and container according to the local, city, state and federal regulations. |
| Potential Health Effects (Acute and Chronic): | Prolonged or repeated skin contact may cause defatting and dermatitis. |
| Inhalation: | Inhalation of vapors may cause drowsiness and dizziness. May cause respiratory tract irritation. |
| Skin Contact: | May cause irritation with pain and stinging, especially if the skin is abraded. |
| Eye Contact: | Produces irritation, characterized by a burning sensation, redness, tearing, inflammation, and possible corneal injury. May cause transient corneal injury. |
| Ingestion: | Causes gastrointestinal irritation with nausea, vomiting and diarrhea. |

| | 3. Composition/Information on Ingredients | | | | | |
|--|---|--|---|--|--|--|
| CAS # | Hazardous Comp | oonents (Chemical Name) | Concentration | | | |
| 67-63-0 | Isopropyl alcohol | | Proprietary | | | |
| 9004-82-4 | Sodium lauryl ethe | er sulfate | Proprietary | | | |
| 112-34-5 | Diethylene glycol | monobutyl ether | Proprietary | | | |
| | | 4. First Ai | d Measures | | | |
| Emergency and First Aid Procedures: | | | | | | |
| In Case of In | halation: | If breathing is difficult, give oxygen. Get medical aid. Remove from exposure and move to fresh air immediately. | | | | |
| In Case of SI | kin Contact: | Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid if irritation develops or persists. | | | | |
| In Case of Ey | ye Contact: | Flush eyes with plenty of wa lower eyelids. Get medical a | | ninutes, occasionally lifting the upper and | | |
| In Case of In | gestion: | If vomiting occurs naturally, 2-4 cupfuls of milk or water. | | rward. If victim is conscious and alert, give mediately. | | |
| Note to Phys | sician: | Treat symptomatically and supportively. | | | | |
| | | 5. Fire Fight | ing Measure | S | | |
| Flash Pt: | | > 212.00 F | | | | |
| Explosive Li | mits: | LEL: N/A UEL | N/A | | | |
| Autoignition | Pt: | NE | | | | |
| | | : Dry chemical, CO2, water s | | | | |
| Fire Fighting | Instructions: | As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors may form explosive mixtures with air. Use water spray to keep fire-exposed containers cool. | | | | |
| Flammable P Hazards: | Properties and | No data available. | | | | |
| Hazardous C Products: | Combustion | No data available. | | | | |
| | | 6. Accidental R | elease Meas | ures | | |
| Steps To Be Material Is R Spilled: | Taken In Case eleased Or | Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Use water spray to dilute spill to a non-flammable mixture. Clean up spills immediately, observing precautions in the Protective Equipment section. Remove all sources of ignition. Use a spark-proof tool. Provide ventilation. A vapor suppressing foam may be used to reduce vapors. | | | | |
| | | 7. Handling | g and Storage | 9 | | |
| Precautions Handling: | To Be Taken in | Keep container tightly close | d. Do not pressurize heat, sparks or ope | aminated clothing and wash before reuse. e, cut, weld, braze, solder, drill, grind, or en flames. Use only with adequate | | |
| Precautions Storing: | To Be Taken in | | | rom incompatible substances. | | |

| | 8. Exposure Controls/Personal Protection | | | | |
|---|--|----------------------|---------------------------------|-------------------------------|--------------|
| CAS # | Partial Chemical | Name | OSHA TWA | ACGIH TWA | Other Limits |
| 67-63-0 | Isopropyl alcohol | | PEL: 400 ppm | TLV: 200 ppm STEL: 400 ppm | No data. |
| 9004-82-4 | Sodium lauryl ethe | er sulfate | No data. | No data. | No data. |
| 112-34-5 | Diethylene glycol | monobutyl ether | No data. | No data. | No data. |
| Respiratory Equipment Always use a NIOS (Specify Type): | | | H approved respirator wher | n necessary. | |
| Eye Protectio | on: | Safety glasses. | | | |
| Protective GI | oves: | Wear appropriate p | rotective gloves to prevent | skin exposure. | |
| Other Protect | tive Clothing: | Wear appropriate p | protective clothing to minimize | ze contact with skin. | |
| Engineering ((Ventilation e | | Use with adequate | ventilation. | | |
| | - | 9. Physical | and Chemical Pro | perties | |
| Physical Stat | es: | []Gas [X]Lio | quid [] Solid | | |
| Appearance a | and Odor: | Amber color liquid v | with alcohol odor. | | |
| pH: | | ~ 9.00 - 10.50 | | | |
| Melting Point: NE | | | | | |
| Boiling Point | : | >= 212.00 F | | | |
| Flash Pt: > 212.00 F | | | | | |
| Evaporation Rate: NE | | | | | |
| Flammability (solid, gas): No data available. | | No data available. | | | |
| Explosive Limits: LEL: N/A | | LEL: N/A | UEL: N/A | | |
| Vapor Pressure (vs. Air or NE mm Hg): | | | | | |
| Vapor Densit | y (vs. Air = 1): | NE | | | |
| Specific Gravity (Water = 1): ~ 1.020 | | ~ 1.020 | | | |
| Density: ~ 8.50 LB/GA | | | | | |
| Bulk density: NE | | | | | |
| Solubility in Water: 100% | | | | | |
| Saturated Vapor NE Concentration: | | | | | |
| Octanol/Water Partition No data. | | | | | |
| Coefficient: | | 74 4000 0/ | | | |
| VOC / Volume | - | 71.4000 G/L | | | |
| Autoignition | | NE | | | |
| - | on Temperature: | NE NP | | | |
| Viscosity: Particle Size: | | NP | | | |
| Heat Value: | | NE | | | |
| Corrosion Ra | te: | NE | | | |
| | | | | | |

| 10. Stability and Reactivity | | | | | | | | |
|---|---|---------------------------------------|------------|------------|------------------|--------|-------|------|
| Stability: | | Unstable [] Stable [X] | | | | | | |
| Conditions To Instability: | Avoid - | Excess heat. | | | | | | |
| Incompatibility Avoid: | y - Materials To | Strong oxidizing | agents. | | | | | |
| Hazardous De Byproducts: | composition or | Carbon monoxid | le. | | | | | |
| Possibility of I Reactions: | Hazardous | s Will occur [] Will not occur [X] | | | | | | |
| Conditions To Hazardous Re | | None. | | | | | | |
| | | 11. To | xicologica | al Info | rmation | | | |
| Toxicological | Information: | No data available | e. | | | | | |
| Carcinogenicity/OtherCAS# 67-63-0: Not listed by ACGIH, IARC, NTP, or CA Prop 65.Information:listed by ACGIH, IARC, NTP, or CA Prop 65. | | | . CAS# 112 | -34-5: Not | | | | |
| CAS # | Hazardous Com | ponents (Chemica | al Name) | | NTP | IARC | ACGIH | OSHA |
| 67-63-0 | Isopropyl alcohol | | | | n.a. | 3 | A4 | n.a. |
| 9004-82-4 | Sodium lauryl eth | er sulfate | | | n.a. | n.a. | n.a. | n.a. |
| 112-34-5 | Diethylene glycol | monobutyl ether | | | n.a. | n.a. | n.a. | n.a. |
| | | 12. E | cological | Inforr | nation | | | |
| | | No data available | e. | | | | | |
| | | 13. Di | sposal Co | onside | rations | | | |
| Waste Disposal Method: Dispose of contents and container according to the local, city, state and federal regulations. | | | | | | | | |
| | | 14. T | ransport | Inforn | nation | | | |
| LAND TRANS | PORT (US DOT) |): | | | | | | |
| DOT Proper Shipping Name: Not regulated as a hazardous material. DOT Hazard Class: UN/NA Number: | | | | | | | | |
| 15. Regulatory Information | | | | | | | | |
| EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists | | | | | | | | |
| CAS # | Hazardous Components (Chemical Name) S. 302 (| | S. 302 (E | EHS) S. | 304 RQ | S. 313 | (TRI) | |
| 67-63-0 | Isopropyl alcohol | | | | N | | Yes | |
| 9004-82-4 | | Sodium lauryl ether sulfate No | | No | N | | No | |
| 112-34-5 | Diethylene glycol monobutyl ether No | | | No | No Yes-Cat. N230 | | | |
| | This material meets the EPA [X] Yes [] No Acute (immediate) Health Hazard 'Hazard Categories' defined [] Yes [X] No Chronic (delayed) Health Hazard | | | | | | | |

- for SARA Title III Sections [X] Yes [] No Fire Hazard
- **311/312 as indicated:** [] Yes [X] No Sudden Release of Pressure Hazard
 - [] Yes [X] No Reactive Hazard

Page: 5 Printed: 06/17/2021 Revision: 06/25/2020 Supersedes Revision: 10/30/2018

| CAS # | Hazardous Components (Chemical Name) | Other US EPA or State Lists |
|-----------|--------------------------------------|---|
| 67-63-0 | Isopropyl alcohol | CA PROP.65: No; CA TAC, Title 8: TAC, Title 8 |
| 9004-82-4 | Sodium lauryl ether sulfate | CA PROP.65: No; CA TAC, Title 8: No |
| 112-34-5 | Diethylene glycol monobutyl ether | CA PROP.65: No; CA TAC, Title 8: Yes - Cat. |

16. Other Information



Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.