	1. Product and Compared	ny Identification	
Product Code:	09907		
Product Name:	Tight Floor Finish		
Company Name:	Genlabs 5568 Schaefer Ave. Chino, CA 91710	<b>Phone Number:</b> 1 (909)591-8451	
Web site address:	www.genlabscorp.com		
Email address:	sol@genlabscorp.com		
Emergency Contact:	Chemtrec	1 (800)424-9300	
Recommended Use:	Floor Finish		
Intended Use:	For sale to, use and storage by service persons only.		

# 2. Hazards Identification

Serious Eye Damage/Eye Irritation, Category 2A Aquatic Toxicity (Chronic), Category 3 Acute Toxicity: Oral, Category 5 Skin Corrosion/Irritation, Category 3 Acute Toxicity: Inhalation, Category 5 Specific Target Organ Toxicity (single exposure), Category 3 Aquatic Toxicity (Acute), Category 2



GHS Signal Word: GHS Hazard Phrases:	<ul> <li>Warning</li> <li>H319 - Can cause serious eye irritation.</li> <li>H412 - Harmful to aquatic life with long lasting effects.</li> <li>H303 - May be harmful if swallowed.</li> <li>H316 - Can cause mild skin irritation.</li> <li>H333 - May be harmful if inhaled.</li> <li>H335 - May cause respiratory irritation.</li> <li>H401 - Toxic to aquatic life.</li> <li>H410 - Very toxic to aquatic life with long lasting effects.</li> </ul>
GHS Precaution Phrases:	<ul> <li>P102 - Keep out of reach of children.</li> <li>P264 - Wash hands thoroughly after handling.</li> <li>P280 - Wear protective gloves, protective clothing, eye protection, face protection.</li> <li>P273 - Avoid release to the environment.</li> <li>P261 - Avoid breathing fumes and spray mist.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> </ul>
GHS Response Phrases:	<ul> <li>P305+351+338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P337+313 - If eye irritation persists, get medical attention immediately.</li> <li>P302+352 - If on skin (or in hair): Wash with plenty of soap and water. P332+313 - If skin irritation occurs, get medical attention immediately.</li> <li>P304+340 - If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing.</li> </ul>
GHS Storage and Disposal Phrases:	P501 - Dispose of contents and container according to the local, city, state and federal regulations. P411+235 - Store in cool dry place at room temperature away from direct sunlight.

May cause respiratory irritation. High vapor concentrations may cause drowsiness.

innalation.					
Skin Contact					
Eye Contact	:	Causes eye irritation.			
Ingestion:		May cause gastrointestinal irritation with nausea, vomiting and diarrhea.			
	3.	Composition/Infor	mation on In	gredients	
CAS #	Hazardous Comp	oonents (Chemical Name)	Concentration		
25987-66-0	Acrylic acid polym	er	Proprietary		
111-90-0	Diethylene glycol	monoethyl ether	Proprietary		
25265-77-4	Texanol		Proprietary		
78-51-3	Ethanol, 2-Butoxy	-, phosphate (3:1)	Proprietary		
1314-13-2	Zinc oxide		Proprietary		
		4. First Ai	d Measures		
Emergency a					
Procedures:					
In Case of In	halation:		-	fficult, give oxygen. Get medical aid.	
In Coop of Cl	kin Contoot	Remove from exposure and		•	
In Case of SI	kin Contact:	Remove contaminated clothing and shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse. Flush skin with plenty of water for at least 15			
		minutes while removing contaminated clothing and shoes.			
In Case of Ey	ye Contact:	Get medical aid immediately. In case of contact, immediately flush eyes with copious			
		amounts of water for at least 15 minutes.			
In Case of In	gestion:	Never give anything by mouth to an unconscious person. If victim is conscious and alert, give 2-4 cupfuls of milk or water. If swallowed, wash out mouth with water provided person is conscious. Call a physician. If conscious and alert, rinse mouth and drink 2-4			
		cupfuls of milk or water.			
Note to Phys	sician:	Treat symptomatically and supportively.			
		5. Fire Fight	ing Measure	S	
Flash Pt:		NE			
Explosive Li	mits:	LEL: N/A UEL:	N/A		
Autoignition	Pt:	NE			
Suitable Exti	inguishing Media	:Use water spray, alcohol for	am, CO2, dry chem	ical.	
Fire Fighting Instructions:		-	-	apparatus in pressure-demand, Il protective gear. During a fire, irritating	
	and highly toxic gases may be generated by thermal decomposition or combustio water spray to keep fire-exposed containers cool.		-		
Flammable F Hazards:	Flammable Properties and No data available.				
Hazardous C	Combustion	No data available.			
Products:					

Inhalation:

	6. Accidental Release Measures					
Steps To Be Taken In Case Material Is Released Or Spilled:Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place suitable container. Remove all sources of ignition. Provide ventilation. Prevent runoff entering drains, sewers, or streams.						
	7. Handling and Storage					
Precautions To Be Taken in Handling:	Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation.					
Precautions To Be Taken in Storing:	Store in a cool, dry, well-ventilated area away from incompatible substances. Keep from freezing.					
8. Exposure Controls/Personal Protection						

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
25987-66-0	Acrylic acid polymer	No data.	No data.	No data.
111-90-0	Diethylene glycol monoethyl ether	No data.	No data.	No data.
25265-77-4	Texanol	No data.	No data.	No data.
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)	No data.	No data.	No data.
1314-13-2	Zinc oxide	PEL: 5 (fume); 15 (dust) mg/m3	TLV: 2 mg/m3 (R) STEL: 10 mg/m3 (R)	No data.

### Personal Protective Equipment Symbols:

**Evaporation Rate:** 

Explosive Limits:

mm Hg):

Flammability (solid, gas):

Vapor Pressure (vs. Air or

Vapor Density (vs. Air = 1):



	-			
Respiratory Equipment (Specify Type):	Always use a NIOSH approved respirator when necessary.			
Eye Protection:	Safety glasses.			
Protective Gloves:	Wear appropriate protective gloves to prevent skin exposure.			
Other Protective Clothing:	Wear appropriate protective clothing to prevent skin exposure.			
Engineering Controls (Ventilation etc.):	No special ventilation requirements. General room ventilation is adequate.			
	Wash thoroughly after handling. Wash contaminated clothing before reuse.			
Work/Hygienic/Maintenance Practices:	Wash thoroughly after handling. Wash contaminated clothing before reuse.			
	9. Physical and Chemical Properties			
Practices:	9. Physical and Chemical Properties			
Practices: Physical States:	9. Physical and Chemical Properties []Gas [X]Liquid []Solid			
Practices: Physical States: Appearance and Odor:	9. Physical and Chemical Properties         []Gas       [X] Liquid       [] Solid         Opaque white liquid with bland odor.			
Practices: Physical States: Appearance and Odor: pH:	9. Physical and Chemical Properties         []Gas [X] Liquid [] Solid         Opaque white liquid with bland odor.         ~ 7.50 - 9.00			

UEL: N/A

NE

NE

NE

No data available.

LEL: N/A

Page: 4 Printed: 07/13/2023 Revision: 07/13/2023 Supersedes Revision: 06/30/2020

CAS #	Hazardous Com	ponents (Chemica	al Name)	NTP	IARC	ACGIH	OSHA
Carcinogenicity/OtherCAS# 111-90-0: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 25265-73Information:listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 1314-13-2: Not listed by ACGIARC, NTP, or CA Prop 65.IARC, NTP, or CA Prop 65.							
Toxicological		No data availabl					
		<b>11.</b> To:	xicological Info	rmation			
Hazardous Re	actions:						
Conditions To		None.					
Reactions:							
Possibility of I	Hazardous	Will occur [ ]	Will not occur [ X ]				
Byproducts:	· · · · · · · · · · · · · · · · · · ·		les and/or phosphine. t		•		
	composition or	Carbon monoxid	le, Carbon dioxide, The	ermal decom	position ma	y produce to	oxic fumes of
Avoid:	- materiais 10		agento, magneoium, o				
Instability:	/ - Matorials To	Strong oxidizing	agents, magnesium, cl	hlorinated ru	hher		
	nditions To Avoid - Extremes of temperature and direct sunlight. Strong acids, Strong oxidizing agents.						
Stability:	A	Unstable [ ] Stable [ X ]					
			tability and Rea				
	··		tobility and Dec				
Corrosion Rat	e:	NE					
Heat Value:		NE					
Viscosity: Particle Size:		NP NE					
-	n Temperature:						
Autoignition P		NE					
VOC / Volume		0.0000 G/L					
Coefficient:							
Octanol/Water	Partition	No data.					
Concentration							
Saturated Vap		NE					
Solubility in W	ater:	100%					
Bulk density:		NE					
Density:	ty (Water – T).	~ 8.59 LB/GA					
Specific Gravi	by (Mator = 1):	~ 1.030			Supe		01. 06/30/2020

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
25987-66-0	Acrylic acid polymer	n.a.	n.a.	n.a.	n.a.
111-90-0	Diethylene glycol monoethyl ether	n.a.	n.a.	n.a.	n.a.
25265-77-4	Texanol	n.a.	n.a.	n.a.	n.a.
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)	n.a.	n.a.	n.a.	n.a.
1314-13-2	Zinc oxide	n.a.	n.a.	n.a.	n.a.

Page: 5 Printed: 07/13/2023 Revision: 07/13/2023 Supersedes Revision: 06/30/2020

## **12. Ecological Information**

### No data available.

## 13. Disposal Considerations

Waste Disposal Method:

Dispose of contents and container according to the local, city, state and federal regulations.

## **14. Transport Information**

#### LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not regulated as a hazardous material.

**DOT Hazard Class:** 

**UN/NA Number:** 

#### LAND TRANSPORT (Canadian TDG):

Not Regulated. TDG Shipping Name:

#### MARINE TRANSPORT (IMDG/IMO):

Not Regulated. IMDG/IMO Shipping Name:

#### AIR TRANSPORT (ICAO/IATA):

Not Regulated. ICAO/IATA Shipping Name:

### 15. Regulatory Information

#### EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
25987-66-0	Acrylic acid polymer	No	No	No
111-90-0	Diethylene glycol monoethyl ether	No	No	Yes-Cat. N230
25265-77-4	Texanol	No	No	No
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)	No	No	Yes-Cat. N230
1314-13-2	Zinc oxide	Νο	No	Yes-Cat. N982


This material meets the EPA [X] Yes [] No Acute (immediate) Health Hazard 'Hazard Categories' defined [] Yes [X] No Chronic (delayed) Health Hazard for SARA Title III Sections 311/312 as indicated:

[ ] Yes [X] No Fire Hazard

Sudden Release of Pressure Hazard [ ] Yes [X] No

[] Yes [X] No **Reactive Hazard** 

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
25987-66-0	Acrylic acid polymer	CA PROP.65: No; CA TAC, Title 8: No
111-90-0	Diethylene glycol monoethyl ether	CA PROP.65: No; CA TAC, Title 8: Yes - Cat.
25265-77-4	Texanol	CA PROP.65: No; CA TAC, Title 8: No
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)	CA PROP.65: No; CA TAC, Title 8: Yes - Cat.
1314-13-2	Zinc oxide	CA PROP.65: No; CA TAC, Title 8: Yes - Cat., Title 8



Additional Information About PPE B: safety glasses; gloves. This Product:

Company Policy or Disclaimer:

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.