# SAFETY DATA SHEET 25% Floor Finish

Printed: 07/13/2023 Revision: 07/13/2023

Page: 1

Supersedes Revision: 10/11/2018

#### 1. Product and Company Identification

Product Code: 09988

**Product Name:** 25% Floor Finish

Company Name:GenlabsPhone Number:5568 Schaefer Ave.1 (909)591-8451

5568 Schaefer Ave. Chino. CA 91710

Web site address: www.genlabscorp.com
Email address: sol@genlabscorp.com

Emergency Contact: Chemtrec 1 (800)424-9300

Recommended Use: Floor Finish

**Intended Use:** For sale to, use and storage by service persons only.

#### 2. Hazards Identification

Serious Eye Damage/Eye Irritation, Category 2A

Aquatic Toxicity (Chronic), Category 3
Acute Toxicity: Oral, Category 5
Skin Corrosion/Irritation, Category 3
Acute Toxicity: Inhalation, Category 5

Specific Target Organ Toxicity (single exposure), Category 3

Aquatic Toxicity (Acute), Category 2



GHS Signal Word: Warning

**GHS Hazard Phrases:** H319 - Can cause serious eye irritation.

H412 - Harmful to aquatic life with long lasting effects.

H303 - May be harmful if swallowed.H316 - Can cause mild skin irritation.H333 - May be harmful if inhaled.H335 - May cause respiratory irritation.

H401 - Toxic to aquatic life.

H410 - Very toxic to aquatic life with long lasting effects.

**GHS Precaution Phrases:** P264 - Wash hands thoroughly after handling.

P102 - Keep out of reach of children.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P273 - Avoid release to the environment. P261 - Avoid breathing fumes and spray mist.

P271 - Use only outdoors or in a well-ventilated area.

GHS Response Phrases: P305+351+338 - If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+313 - If eye irritation persists, get medical attention immediately.

P302+352 - If on skin (or in hair): Wash with plenty of soap and water. P332+313 - If skin

irritation occurs, get medical attention immediately.

P304+340 - If inhaled: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

**GHS Storage and Disposal** 

Phrases:

P501 - Dispose of contents and container according to the local, city, state and federal

regulations.

P411+235 - Store in cool dry place at room temperature away from direct sunlight.

Licensed to Genlabs Corp.: MIRS MSDS, (c) A V Systems, Inc.

GHS format

# SAFETY DATA SHEET 25% Floor Finish

Page: 2 Printed: 07/13/2023 Revision: 07/13/2023

Supersedes Revision: 10/11/2018

**Inhalation:** High vapor concentrations may cause drowsiness. May cause respiratory tract irritation.

**Skin Contact:** May cause allergic skin reaction.

**Eye Contact:** Causes eye irritation.

**Ingestion:** May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

#### 3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration
25987-66-0	Acrylic acid polymer	Proprietary
111-90-0	Diethylene glycol monoethyl ether	Proprietary
25265-77-4	Texanol	Proprietary
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)	Proprietary
1314-13-2	Zinc oxide	Proprietary

#### 4. First Aid Measures

**Emergency and First Aid** 

**Procedures:** 

**In Case of Inhalation:** If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get medical aid.

Remove from exposure and move to fresh air immediately.

**In Case of Skin Contact:** Remove contaminated clothing and shoes. Get medical aid if irritation develops and

persists. Wash clothing before reuse. Flush skin with plenty of water for at least 15

minutes while removing contaminated clothing and shoes.

In Case of Eye Contact: Get medical aid immediately. In case of contact, immediately flush eyes with copious

amounts of water for at least 15 minutes.

In Case of Ingestion: Never give anything by mouth to an unconscious person. If victim is conscious and alert,

give 2-4 cupfuls of milk or water. If swallowed, wash out mouth with water provided person is conscious. Call a physician. If conscious and alert, rinse mouth and drink 2-4

cupfuls of milk or water.

**Note to Physician:** Treat symptomatically and supportively.

#### 5. Fire Fighting Measures

Flash Pt: NE

Explosive Limits: LEL: N/A UEL: N/A

Autoignition Pt: NE

Suitable Extinguishing Media: Use water spray, alcohol foam, CO2, dry chemical.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use

water spray to keep fire-exposed containers cool.

Flammable Properties and

Hazards:

No data available.

Hazardous Combustion No data available.

Products:

## SAFETY DATA SHEET

25% Floor Finish

Revision: 07/13/2023

Printed: 07/13/2023

Page: 3

Supersedes Revision: 10/11/2018

#### 6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Remove all sources of ignition. Provide ventilation. Prevent runoff from

entering drains, sewers, or streams.

#### 7. Handling and Storage

Precautions To Be Taken in Handling:

Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Avoid ingestion

and inhalation.

Precautions To Be Taken in Storing:

Store in a cool, dry, well-ventilated area away from incompatible substances. Keep from

freezing.

#### 8. Exposure Controls/Personal Protection

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
25987-66-0	Acrylic acid polymer	No data.	No data.	No data.
111-90-0	Diethylene glycol monoethyl ether	No data.	No data.	No data.
25265-77-4	Texanol	No data.	No data.	No data.
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)	No data.	No data.	No data.
1314-13-2	Zinc oxide	PEL: 5 (fume); 15 (dust) mg/m3	TLV: 2 mg/m3 (R) STEL: 10 mg/m3 (R)	No data.

Personal Protective Equipment Symbols:





**Respiratory Equipment** 

(Specify Type):

Always use a NIOSH approved respirator when necessary.

**Eye Protection:** Safety glasses.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash facility and

a safety shower. Use adequate ventilation to keep airborne concentrations low.

Work/Hygienic/Maintenance

**Practices:** 

Wash thoroughly after handling. Wash contaminated clothing before reuse.

#### 9. Physical and Chemical Properties

Physical States: [ ] Gas [ X ] Liquid [ ] Solid

Appearance and Odor: Opaque white liquid with bland odor.

**pH:** ~ 7.50 - 9.00

Melting Point: NE

**Boiling Point:** >= 212.00 F

Flash Pt: NE Evaporation Rate: NE

Flammability (solid, gas): No data available.

**Explosive Limits:** LEL: N/A UEL: N/A

Vapor Pressure (vs. Air or

C (V3. All O

NE

mm Hg):

Vapor Density (vs. Air = 1): NE

# SAFETY DATA SHEET 25% Floor Finish

Printed: 07/13/2023 Revision: 07/13/2023

Page: 4

Supersedes Revision: 10/11/2018

Specific Gravity (Water = 1): ~ 1.035

**Density:** ~ 8.63 LB/GA

Bulk density:NESolubility in Water:100%Saturated VaporNE

**Concentration:** 

Octanol/Water Partition No data.

Coefficient:

**VOC / Volume:** 0.0000 G/L

Autoignition Pt: NE

Decomposition Temperature: NE

Viscosity: NP

Particle Size: NE

Heat Value: NE

Corrosion Rate: NE

#### 10. Stability and Reactivity

Stability: Unstable [ ] Stable [ X ]

**Conditions To Avoid -** Extremes of temperature and direct sunlight. Strong acids, Strong oxidizing agents.

Instability:

Incompatibility - Materials To Strong oxidizing agents, magnesium, chlorinated rubber.

Avoid:

Hazardous Decomposition or Carbon monoxide, Carbon dioxide, Thermal decomposition may produce toxic fumes of

**Byproducts:** phosphorus oxides and/or phosphine. toxic fumes of zinc oxide.

Possibility of Hazardous Will occur [ ] Will not occur [ X ]

Reactions:

Conditions To Avoid - None.

**Hazardous Reactions:** 

#### 11. Toxicological Information

**Toxicological Information:** No data available.

Carcinogenicity/Other CAS# 111-90-0: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 25265-77-4: Not

**Information:** listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 1314-13-2: Not listed by ACGIH,

IARC, NTP, or CA Prop 65.

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
25987-66-0	Acrylic acid polymer	n.a.	n.a.	n.a.	n.a.
111-90-0	Diethylene glycol monoethyl ether	n.a.	n.a.	n.a.	n.a.
25265-77-4	Texanol	n.a.	n.a.	n.a.	n.a.
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)	n.a.	n.a.	n.a.	n.a.
1314-13-2	Zinc oxide	n.a.	n.a.	n.a.	n.a.

## SAFETY DATA SHEET

25% Floor Finish

Printed: 07/13/2023 Revision: 07/13/2023

Page: 5

Supersedes Revision: 10/11/2018

### 12. Ecological Information

No data available.

#### 13. Disposal Considerations

Dispose of contents and container according to the local, city, state and federal **Waste Disposal Method:** 

regulations.

### 14. Transport Information

#### LAND TRANSPORT (US DOT):

**DOT Proper Shipping Name:** Not regulated as a hazardous material.

**DOT Hazard Class: UN/NA Number:** 

LAND TRANSPORT (Canadian TDG):

Not Regulated. **TDG Shipping Name:** 

MARINE TRANSPORT (IMDG/IMO):

Not Regulated. **IMDG/IMO Shipping Name:** 

AIR TRANSPORT (ICAO/IATA):

Not Regulated. ICAO/IATA Shipping Name:

### 15. Regulatory Information

#### EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
25987-66-0	Acrylic acid polymer	No	No	No
111-90-0	Diethylene glycol monoethyl ether	No	No	Yes-Cat. N230
25265-77-4	Texanol	No	No	No
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)	No	No	Yes-Cat. N230
1314-13-2	Zinc oxide	No	No	Yes-Cat. N982

This material meets the EPA [X] Yes [ ] No Acute (immediate) Health Hazard Chronic (delayed) Health Hazard 'Hazard Categories' defined [ ] Yes [X] No for SARA Title III Sections [ ] Yes [X] No Fire Hazard

311/312 as indicated: Sudden Release of Pressure Hazard [ ] Yes [X] No

> [ ] Yes [X] No Reactive Hazard

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
25987-66-0	Acrylic acid polymer	CA PROP.65: No; CA TAC, Title 8: No
111-90-0	Diethylene glycol monoethyl ether	CA PROP.65: No; CA TAC, Title 8: Yes - Cat.
25265-77-4	Texanol	CA PROP.65: No; CA TAC, Title 8: No
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)	CA PROP.65: No; CA TAC, Title 8: Yes - Cat.
1314-13-2	Zinc oxide	CA PROP.65: No; CA TAC, Title 8: Yes - Cat., Title 8

## **SAFETY DATA SHEET**

25% Floor Finish

Printed: 07/13/2023 Revision: 07/13/2023

Page: 6


Supersedes Revision: 10/11/2018

#### 16. Other Information

07/13/2023 **Revision Date:** 

**Hazard Rating System:** 





HMIS:

Additional Information About PPE B: safety glasses; gloves.

**This Product:** 

**Company Policy or** 

Disclaimer:

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.